

Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

NORTON H. NICKERSON, Editor-in-Chief
JOAN Y. NICKERSON, Managing Editor

Associate Editors

DAVID S. BARRINGTON
A. LINN BOGLE
DAVID E. BOUFFORD
WILLIAM D. COUNTRYMAN
GARRETT E. CROW

RICHARD A. FRALICK
GERALD J. GASTONY
C. BARRE HELLQUIST
MICHAEL W. LEFOR
ROBERT T. WILCE

VOLUME 88

1986

The New England Botanical Club, Inc.
Harvard University Herbaria, 22 Divinity Ave., Cambridge, Mass. 02138



INDEX TO VOLUME 88

New scientific names are in bold face

- Achene morphology of *Polygonum* section *Polygonum* (*Polygonaceae*) in Canada. Synopsis and, 457-479
- Achene morphology. Taxonomy of *Carex* section *Folliculatae* using, 399-403
- Additions to the vascular flora of Kent Island, New Brunswick. 441-443
- Aerial shoots of the common marsh reed *Phragmites australis* (*Poaceae*). Dispersion pattern of, 325-330
- Allred, Kelly W. Studies in the *Aristida* (*Gramineae*) of the southeastern United States. IV. Key and conspectus. 367-387
- Al-Shehbaz, Ihsan A. New wool-alien Cruciferae (*Brassicaceae*) in eastern North America: *Lepidium* and *Sisymbrium*. 347-355
- Announcements:
- Calkins, William Wirt: Collection of mosses and lichens 529
 - Greenman, Jesse M.:
 - 1985 award and 1986 notice 154
 - 1986 award and 1987 notice 528
 - Hesler Visiting Professorship 154
 - Joint Field Meeting, 1986 295
 - NEBC:
 - 1985 award and 1986 notice 155
 - 1986 award and 1987 notice 527
 - New England Botany Graduate Student Meeting: 1986, 156; 1987, 529
 - Aquifoliaceae from Haiti. A new species of *Ilex*, 435-439
 - Aristida* (*Gramineae*) of the southeastern United States. IV. Key and conspectus. Studies in the, 367-387
 - Aristida purpurescens* var. *tenuispica* (Hitchc.) Allred, *comb. nov.* 383
 - Aristida purpurescens* var. *virgata* (Trin.) Allred, *comb. nov.* 383
 - Astereae. The cytogeography of *Chrysopsis mariana* (*Compositae*): Survey over the range of the species. 261-266
 - Baker, Les *see* Harms, Vernon L.
 - Barrington, David S. The morphology and cytology of *Polystichum* \times *potteri* *hybr. nov.* (= *P. acrostichoides* \times *P. braunii*). 297-313
 - Bergeron, Yves *see* Bouchard, Andre
 - Book Reviews:
 - Bogs of the Northeast 149
 - Botany and Natural History of Panama: La Botánica e Historia Natural de Panamá. The, 150-151
 - Cytotaxonomic Studies of the Ferns of Trinidad 421-422
 - Ferns of Jamaica 525-526
 - Field Manual of the Ferns and Fern Allies of the United States and Canada. A, 293-294
 - Michigan Flora, Part II Dicots 423-424
 - Bouchard, Andre, Stuart Hay, Claire Gauvin and Yves Bergeron. Rare vascular plants of Gros Morne National Park, Newfoundland, Canada. 481-502
 - Bowles, Marlin L. *see* Sheviak, Charles J.
 - Brassicaceae in eastern North America: *Lepidium* and *Sisymbrium*. New wool-alien Cruciferae, 347-355
 - Briggs, Errol C. *see* Effron, Michael
 - Briggs, Timothy L. *see* Davis, Andrew N.
 - Campbell, Christopher S., Norman C. Famous and Michael G. Zuck. Pollination biology of *Primula laurentiana* (*Primulaceae*) in Maine. 253-260

- Canada. *Carex oligocarpa* (Cyperaceae), a rare sedge in, newly discovered in Quebec. 427-433
- Canada. Rare vascular plants of Gros Morne National Park, Newfoundland, 481-502
- Canada. Synopsis and achene morphology of *Polygonum* section *Polygonum* (Polygonaceae) in, 457-479
- Carex mackenziei* new for Saskatchewan: Additional rare inland stations for two seacoast salt marsh species. *Plantago maritima* and, 315-323
- Carex oligocarpa* (Cyperaceae), a rare sedge in Canada newly discovered in Quebec. 427-433
- Carex purpurifera* Mack. (Cyperaceae). Cytology of, 141-147
- Carex* section *Folliculatae* using achene morphology. Taxonomy of, 399-403
- Carex striata*, the correct name for *C. walteriana* (Cyperaceae). 405-406
- C. (arex) walteriana* (Cyperaceae). *Carex striata*, the correct name for, 405-406
- Carter, Richard and Charles E. Jarvis. Re-evaluation and lectotypification of *Scirpus retrofractus* L. 451-456
- Castillo, Rafael and Richard Evans Schultes. New combinations in the Solanaceae. 291-292
- Catling, P. M. see Reznicek, A. A.
- Chinnappa, C. C. see Semple, John C.
- Chrysopsis mariana* (Compositae: Astereae): Survey over the range of the species. The cytogeography of, 261-266
- Connecticut. Holocene fruit, seed and leaf flora from riverine sediments near New Haven, 229-252
- Connecticut. Seasonal succession and vertical distribution of phytoplankton in Candlewood Lake, 331-346
- Cruciferae (Brassicaceae) in eastern North America: *Lepidium* and *Sisymbrium*. New wool-alien, 347-355
- Current status of *Magnolia virginiana* in Massachusetts. 357-365
- Cyperaceae, a rare sedge in Canada newly discovered in Quebec. *Carex oligocarpa*, 427-433
- Cyperaceae. *Carex striata*, the correct name for *C. walteriana*, 405-406
- Cyperaceae. Cytology of *Carex purpurifera* Mack. 141-147
- Cyperaceae. New Mesoamerican species of *Cyperus*, 503-513
- Cyperus breedlovei* G. C. Tucker sp. nov. 505
- Cyperus* (Cyperaceae). New Mesoamerican species of, 503-513
- Cyperus matudae* G. C. Tucker sp. nov. 503
- Cyperus svensonii* G. C. Tucker sp. nov. 510
- Cyperus wilburii* G. C. Tucker sp. nov. 508
- Cypripedium acaule* (Orchidaceae). The pollination biology of, 445-450
- Cytogeography of *Chrysopsis mariana* (Compositae: Astereae): Survey over the range of the species. The, 261-266
- Cytology of *Carex purpurifera* Mack. (Cyperaceae). 141-147
- Cytology of *Polystichum × potteri* hybr. nov. (= *P. acrostichoides* × *P. braunii*). The morphology and, 297-313
- Davis, Andrew N. and Timothy L. Briggs. Dispersion pattern of aerial shoots of common marsh reed *Phragmites australis* (Poaceae). 325-330
- Davis, Richard W. The pollination biology of *Cypripedium acaule* (Orchidaceae). 445-450
- Del Tredici, Peter see Primack, Richard H.
- Dispersion pattern of aerial shoots of the common marsh reed *Phragmites australis* (Poaceae). 325-330
- Effron, Michael and Errol C. Briggs. Rediscovery of *Isotria verticillata* (Willd.) Raf. (Orchidaceae) in Vermont. 407-408
- Ericaceae. The taxonomic position of *Vaccinium sempervirens*, 515
- Eurasian adventives in the flora of west-

- ern Massachusetts. Four rare, 413-417
- Famous, Norman C. *see* Campbell, Christopher S.
- Fernald, Merritt Lyndon. A Tribute to, New England Botanical Club 800th meeting, 157-228
- First record of *Poa bulbosa* L. (Poaceae) for Vermont. The, 419-420
- Flora of Windham County, Vermont. Notes on the, 517-523
- Four rare Eurasian adventives in the flora of western Massachusetts, 413-417
- Freeda, Stanley J. and Peter A. Siver. Seasonal succession and vertical distribution of phytoplankton in Canfieldwood Lake, CT, 331-346
- Gagnon, Daniel *see* Hay, Stuart G.
- Gauvin, Claire *see* Bouchard, Andre
- Goldenaster. The cytogeography of *Chrysopsis mariana* (Compositae: Astereae): Survey over the range of the species, 261-266
- Gramineae of the southeastern United States. Studies in the Aristida, IV. Key and conspectus, 367-387
- Grayum, Michael H. and Marian F. Rohman. Four rare Eurasian adventives in the flora of western Massachusetts, 413-417
- Gros Morne National Park, Newfoundland, Canada. Rare vascular plants of, 481-502
- Haiti. A new species of *Ilex* (Araliaceae) from, 435-439
- Harms, Vernon L., Donald F. Hooper and Les Baker. *Plantago maritima* and *Carex mackenziei* new for Saskatchewan: Additional rare inland stations for two seacoast salt marsh species, 315-323
- Hay, Stuart *see* Bouchard, Andre
- Hay, Stuart G. and Daniel Gagnon. Carex oligocarpa (Cyperaceae), a rare sedge in Canada newly discovered in Quebec, 427-433
- Hedyotis rosea* Rafinesque and a new combination in *Houstonia*. Nomenclatural notes on, 389-397
- Hehre, Edward J. *see* Mathieson, Arthur C.
- Hendry, Edward *see* Primack, Richard B.
- Holocene fruit, seed and leaf flora from riverine sediments near New Haven, Connecticut, 229-252
- Hooper, Donald F. *see* Harms, Vernon L.
- Houstonia. Nomenclatural notes on *Hedyotis rosea* Rafinesque and a new combination in, 389-397
- Houstonia rosea* (Rafinesque) Terrell, *comb. nov.*, 395, fig. 394
- Ilex* (Araliaceae) from Haiti. A new species of, 435-439
- Ilex blancheana* W. Judd, *sp. nov.*, 436, fig. 437
- Inland stations for two seacoast salt marsh species. *Plantago maritima* and *Carex mackenziei* new for Saskatchewan: Additional rare, 315-323
- Isotria verticillata* (Willd.) Raf. (Orchidaceae) in Vermont. Rediscovery of, 407-408
- Jaltomata glandulosa* Castillo and Schultes *comb. nov.*, 292
- Jaltomata vestita* Castillo and Schultes *comb. nov.*, 292
- Jarvis, Charles E. *see* Carter, Richard
- Judd, Walter S. A new species of *Ilex* (Araliaceae) from Haiti, 435-439
- Keenan, Philip E. New stations for *Platanthera flava* and *Triphora trianthophora* and other observations, 409-412
- Kent Island, New Brunswick. Additions to the vascular flora of, 441-443
- Lectotypification of *Scirpus retrofractus* L. Reevaluation and, 451-456
- Lepidium* and *Sisymbrium*. New woolly Cruciferae (Brassicaceae) in eastern North America, 347-355
- Magnolia virginiana* in Massachusetts. Current status of, 357-365
- Maine. Pollination biology of *Primula*

- laurentiana (Primulaceae) in, 253-260
- Manhart, James R. Cytology of *Carex purpurifera* Mack. (Cyperaceae). 141-147
- Marsh reed *Phragmites australis* (Poaceae). Dispersion pattern of aerial shoots of the common, 325-330
- Massachusetts. Current status of *Magnolia virginiana* in, 357-365
- Massachusetts. Four rare Eurasian adventives in the flora of western, 413-417
- Mathieson, Arthur C. and Edward J. Hehre. A synopsis of New Hampshire seaweeds, 1-139
- McIlraith, Alexander L. Additions to the vascular flora of Kent Island, New Brunswick. 441-443
- McNeill, John see Wolf, Steven J.
- Menapace, Francis J. see Wujek, Daniel E.
- Merinthopodium vogelii** Castillo and Schultes comb. nov. 292
- Mesoamerican species of *Cyperus* (Cyperaceae). New, 503-513
- Morphology and cytology of *Polystichum* × *potteri* hybr. nov. (= *P. acrostichoides* × *P. braunii*). The, 297-313
- New Brunswick. Additions to the vascular flora of Kent Island, 441-443
- New combinations in the Solanaceae. 291-292
- New England Botanical Club 800th meeting. A Tribute to Merritt Lyndon Fernald. 157-228. Remarks: 157-198; letters: 198-228
- New England Notes:
- First record of *Poa bulbosa* L. (Poaceae) for Vermont. The, 419-420
 - Four rare Eurasian adventives in the flora of western Massachusetts. 413-417
 - New stations for *Platanthera flava* and *Triphora trianthophora* and other observations. 409-412
 - Notes on the flora of Windham County, Vermont. 517-523
 - Rediscovery of *Isotria verticillata* (Willd.) Raf. (Orchidaceae) in Vermont. 407-408
- New Hampshire seaweeds. A synopsis of, 1-139
- New Mesoamerican species of *Cyperus* (Cyperaceae). 503-513
- New species of *Ilex* (Araliaceae) from Haiti. A, 435-439
- New stations for *Platanthera flava* and *Triphora trianthophora* and other observations. 409-412
- New wool-alien Cruciferæ (Brassicaceae) in eastern North America: *Lepidium* and *Sisymbrium*. 347-355. Key to species of *Lepidium* 349
- Newfoundland, Canada. Rare vascular plants of Gros Morne National Park, 481-502
- Nomenclatural notes on *Hedysotis rosea* Rafinesque and a new combination in *Houstonia*. 389-397
- North America: *Lepidium* and *Sisymbrium*. New wool-alien Cruciferæ (Brassicaceae) in eastern, 347-355
- Notes on the flora of Windham County, Vermont. 517-523
- Orchidaceæ. The pollination biology of *Cypripedium acaule*, 445-450
- Orchidaceæ in Vermont. Rediscovery of *Isotria verticillata* (Willd.) Raf., 407-408
- Orchids, the prairie fringed: A pollinator-isolated species pair, 267-290
- Phragmites australis* (Poaceae). Dispersion pattern of aerial shoots of the common marsh reed, 325-330
- Phytoplankton in Candlewood Lake, CT. Seasonal succession and vertical distribution of, 331-346
- Pierce, Lee S. and Bruce H. Tiffney. Holocene fruit, seed and leaf flora from riveine sediments near New Haven, Connecticut 229-252
- Plantago maritima* and *Carex mackenziei* new for Saskatchewan: Additional rare inland stations for two seacoast salt marsh species. 315-323
- Platanthera flava* and *Triphora trianthophora* and other observations. New stations for, 409-412
- Platanthera praecox* Sheviak and Bowles sp. nov. 278, fig. 269
- Poa bulbosa* L., (Poaceæ) for Vermont.

- The first record of, 419-420
Poaceae. Dispersion pattern of aerial shoots of the common marsh reed *Phragmites australis*, 325-330
Poaceae for Vermont. The first record of *Poa bulbosa* L., 419-420
Pollination biology of *Cypripedium acaule* (Orchidaceae). The, 445-450
Pollination biology of *Primula laurentiana* (Primulaceae) in Maine, 253-260
Pollinator-isolated species pair, A. The prairie fringed orchids: 267-290
Polygonaceae in Canada. Synopsis and achene morphology of *Polygonum* section *Polygonum*, 457-479
Polygonum caurianum Robins. ssp. *hudsonianum* S. J. Wolf & McNeill ssp. nov. 469, fig. 470
Polygonum franktonii S. J. Wolf & McNeill sp. nov. 474, fig. 475
Polygonum section *Polygonum* (Polygonaceae) in Canada. Synopsis and achene morphology of, 457-479
Polystichum × potteri Barrington hybr. nov. 298, fig. 300
Polystichum × potteri hybr. nov. (= *P. acrostichoides* × *P. braunii*). The morphology and cytology of, 297-313
Prairie fringed orchids: A pollinator-isolated species pair. The, 267-290
Primack, Richard B., Edward Hendry and Peter Del Tredici. Current status of *Magnolia virginiana* in Massachusetts, 357-365
Primula laurentiana (Primulaceae) in Maine. Pollination biology of, 253-260
Primulaceae in Maine. Pollination biology of *Primula laurentiana*, 253-260
Quebec. *Carex oligocarpa* (Cyperaceae), a rare sedge in Canada newly discovered in, 427-433
Rare sedge in Canada newly discovered in Quebec. *Carex oligocarpa* (Cyperaceae), a, 427-433
Rare vascular plants of Gros Morne National Park, Newfoundland, Canada. 481-502. Alpine plateau 491; coastal plain 485; limestone escarpments 488; serpentine tableland 493
Rediscovery of *Isotria verticillata* (Willd.) Raf. (Orchidaceae) in Vermont, 407-408
Re-evaluation and lectotypification of *Scirpus retrofractus* L. 451-456
Reviewers, List of 530
Reznicek, A. A. and P. M. Catling. *Carex striata*, the correct name for *C. walteriana* (Cyperaceae), 405-406
Riverine sediments near New Haven, Connecticut. Holocene fruit, seed and leaf flora from, 229-252
Rohman, Marian F. see Grayum, Michael H.
Salt marsh species. *Plantago maritima* and *Carex mackenziei* new for Saskatchewan: Additional rare inland stations for two, 315-323
Saskatchewan: Additional rare inland stations for two seacoast salt marsh species. *Plantago maritima* and *Carex mackenziei* new for, 315-323
Schultes, Richard Evans see Castillo, Rafael
Scirpus retrofractus L. Re-evaluation and lectotypification of, 451-456
Seasonal succession and vertical distribution of phytoplankton in Candlewood Lake, CT. 331-346
Seaweeds. A synopsis of New Hampshire, 1-139
Sedge in Canada newly discovered in Quebec. *Carex oligocarpa* (Cyperaceae), a rare, 427-433
Semple, John C. and C. C. Chinnappa. The cytogeography of *Chrysopsis mariana* (Compositae: Astereae): Survey over the range of the species. 261-266
Sheviak, Charles J. and Marlin L. Bowles. The prairie fringed orchids: A pollinator-isolated species pair. 267-290
Sisymbrium. *Lepidium* and, New woolalien Cruciferae (Brassicaceae) in eastern North America: 347-355
Siver, Peter A. see Freed, Stanley J. Solanaceae. New combinations in the, 291-292
Southeastern United States. Studies in the *Aristida* (Gramineae) of the, IV. Key and conspectus. 367-387

- Studies in the Aristida (Gramineae) of the southeastern United States. IV. Key and conspectus. 367-387
- Synopsis and achene morphology of *Polygonum* section *Polygonum* (Polygonaceae) in Canada. 457-479. Key to the species 462
- Synopsis of New Hampshire seaweeds. A, 1-139. N. H. coastal zone 9; phenology and longevity 21; physiological ecology and distributional patterns of select seaweeds 34; species composition 20.
- Appendix: (Station numbers, coordinates and descriptions): Bellamy River 128; Blackwater River and adjacent tributaries 137-138; Brown River and adjacent tributaries 136-137; Cocheco River 128-129; Great Bay 127; Great Bay estuary system Piscataqua River 121-125; Hampton Harbor 139; Hampton-Seabrook estuary, Hampton River and adjacent tributaries 134-136; Knowles Island and Mill Creek areas 138; Lamprey River 130; Little Bay 125-127; nearshore open coast between southern Maine and New Hampshire 120; Oyster River 130-131; Salmon Falls River 131-132; Squamscott River 133-134; Winnicut River 134.
- Distribution maps: 66-119
- Tables: Chlorophyceac 39; Phaeophyceae 42; Rhodophyceae 48; summary of collection sites 54.
- Taxonomic position of *Vaccinium sempervirens* (Ericaceae). The, 515
- Taxonomy of *Carex* section *Folliculatae* using achene morphology. 399-403
- Terrell, Edward E. Nomenclatural notes on *Hedysotis rosea* Rafinesque and a new combination in *Houstonia*. 389-397
- Thompson, Elizabeth H. see Zika, Peter F.
- Tiffney, Bruce H. see Pierce, Lee S.
- Triphora trianthophora* and other observations. New stations for *Platanthera flava* and, 409-412
- Tucker, Gordon C. New Mesoamerican species of *Cyperus* (Cyperaceae). 503-513
- United States, southeastern. Studies in the Aristida (Gramineae) of the, IV. Key and conspectus. 367-387
- Uttal, Leonard J. The taxonomic position of *Vaccinium sempervirens* (Ericaceae). 515
- Vaccinium sempervirens* (Ericaceae). The taxonomic position of, 515
- Vascular flora of Kent Island, New Brunswick. Additions to the, 441-443
- Vermont. Notes on the flora of Windham County, 517-523
- Vermont. Rediscovery of *Isotria verticillata* (Willd.) Raf. (Orchidaceae) in, 407-408
- Vermont. The first record of *Poa bulbosa* L. (Poaceae) for, 419-421
- Windham County, Vermont. Notes on the flora of, 517-523
- Wolf, Steven J. and John McNeill. Synopsis and morphology of *Polygonum* section *Polygonum* (Polygonaceae) in Canada. 457-479
- Wool-alien Cruciferae (Brassicaceae) in eastern North America: *Lepidium* and *Sisymbrium*. New, 347-355
- Wujek, Daniel E. and Francis J. Menapace. Taxonomy of *Carex* section *Folliculatae* using achene morphology. 399-403
- Zika, Peter F. and Elizabeth H. Thompson. Notes on the flora of Windham County, Vermont. 517-523
- Zika, Peter F. First record of *Poa bulbosa* L. (Poaceae) for Vermont. The, 419-420
- Zuck, Michael G. see Campbell, Christopher S.

> 42